



***SINGLE SOURCE...
ELECTRICAL & LIGHTING***



ELECTRICAL BOXES

MORRISPRODUCTS.COM



MORRIS

INTRODUCING

SMARTOGGLE

THE ONLY STUD / NO-STUD OLD-WORK BOX

**SEE PAGE 16-17
FOR MORE INFO**



MORRISPRODUCTS.COM

Table Of Contents

STEEL BOXES _____ **PG: 2 - 5**

WEATHER PROOF _____ **PG: 6 - 13**

BOX ACCESORIES _____ **PG: 14 - 15**

SMARTOGGLE _____ **PG: 16 - 17**


FLOOR BOXES _____ **PG: 18**

NON-METALLIC
RECESSED BOXES _____ **PG: 19**

ELECTRICAL BOXES



4" Boxes



- Steel Construction
- Fire-Rated
- Available with 1/2" and/or 3/4" Knock Outs
- F-Brackets Mount to the Front of Studs
- S-Brackets Mount to the Side of Studs

CAT. NO.	FIG	RAISED GROUND	BRACKET	CONCENTRIC	KNOCKOUTS	MC CLAMPS	DRAWN OR WELDED	DIMENSIONS				CTN QTY
								LENGTH	WIDTH	DEPTH	CUB. IN.	
M190D	1				1/2"		DRAWN	4"	4"	1-1/2"	23"	50
M226D	2				1/2" & 3/4"		DRAWN	4"	4"	1-1/2"	23"	50
M189W	3			Y	1/2" & 3/4"		WELDED	4"	4"	1-1/2"	23"	50
M196W	4	Y	SIDE	Y	1/2" & 3/4"		WELDED	4"	4"	1-1/2"	23"	24
M193W	5	Y	FRONT	Y	1/2" & 3/4"		WELDED	4"	4"	1-1/2"	23"	24
M192D	6				1/2" & 3/4"		DRAWN	4"	4"	1-1/2"	33"	50
M232D	7				1/2" & 3/4"		DRAWN	4"	4"	2-1/8"	33"	50
M239D	8	Y		Y	1/2" & 3/4"		DRAWN	4"	4"	2-1/8"	33"	50
M231W	9	Y			1/2" & 3/4"		WELDED	4"	4"	2-1/8"	33"	24
M248W	10			Y	1/2" & 3/4"	Y	WELDED	4"	4"	2-1/8"	33"	24
M235W	11	Y	SIDE	Y	1/2" & 3/4"		WELDED	4"	4"	2-1/8"	33"	24
M251W	12	Y	FRONT	Y	1/2" & 3/4"		WELDED	4"	4"	2-1/8"	33"	24
M218W	13		SIDE	Y	1/2" & 3/4"	Y	WELDED	4"	4"	2-1/8"	33"	24
M249W	14		FRONT	Y	1/2" & 3/4"	Y	WELDED	4"	4"	2-1/8"	33"	24

4" Box Covers

- 4" Square
- Steel Construction
- Fire-Rated



CAT. NO.	FIG	DESCRIPTION	DIMENSIONS		CTN QTY
			LENGTH	WIDTH	
M752CC	1	4" BOX COVER BLANK	4"	4"	200
M753CC	2	4" BOX COVER 1/2" KO	4"	4"	200
M814CC	3	4" BOX COVER DECORATOR/TOGGLE	4"	4"	50
M906CC	4	4" BOX COVER DUPLEX/TOGGLE	4"	4"	50
M907CC	5	4" BOX COVER DUAL DUPLEX	4"	4"	50
M803CC	6	4" BOX COVER DUAL TOGGLE	4"	4"	50
M902CC	7	4" BOX COVER SINGLE DUPLEX	4"	4"	50
M800CC	8	4" BOX COVER SINGLE TOGGLE	4"	4"	50



FIG 1



FIG 2



FIG 3

4" Mud Rings

- 4" Square
- Steel Construction
- Fire-Rated

CAT. NO.	FIG	DESCRIPTION	DIMENSIONS		CTN QTY
			LENGTH	WIDTH	
M767MR	1	MUD RING CIRCULAR - RAISED 1/2"	4"	4"	50
M756MR	1	MUD RING CIRCULAR -RAISED 5/8"	4"	4"	50
M759MR	1	MUD RING CIRCULAR - RAISED 3/4"	4"	4"	50
M771MR	2	MUD RING SINGLE GANG - RAISED 1/4"	4"	4"	50
M772MR	2	MUD RING SINGLE GANG - RAISED 1/2"	4"	4"	50
M768MR	2	MUD RING SINGLE GANG - RAISED 5/8	4"	4"	50
M773MR	2	MUD RING SINGLE GANG - RAISED 3/4"	4"	4"	50
M774MR	2	MUD RING SINGLE GANG -RAISED 1"	4"	4"	25
M777MR	3	MUD RING TWO GANG -RAISED 1/4"	4"	4"	50
M778MR	3	MUD RING TWO GANG -RAISED 1/2"	4"	4"	50
M769MR	3	MUD RING TWO GANG -RAISED 5/8	4"	4"	50
M779MR	3	MUD RING TWO GANG -RAISED 3/4"	4"	4"	50
M780MR	3	MUD RING TWO GANG -RAISED 1"	4"	4"	25



FIG 1



FIG 2



FIG 3

4" Extension Rings

- 4" Square
- Steel Construction
- Fire Rated

CAT. NO.	FIG	KNOCKOUTS	DIMENSIONS				CTN QTY
			LENGTH	WIDTH	DEPTH	CUB. IN.	
M203E	1	1/2" & 3/4"	4"	4"	1-1/2"	23"	50
M204E	2	1/2"	4"	4"	1-1/2"	23"	50
M207E	3	1/2" & 3/4"	4"	4"	2-1/8"	33"	50



FIG 1



FIG 2



FIG 3



FIG 4



FIG 5

4-11/16" Boxes



- 4-11/16" Square
- Steel Construction
- Fire-Rated
- Available with 1/2" and/or 3/4" Knock Outs

CAT. NO.	FIG	RAISED GROUND	CONCENTRIC	KNOCKOUTS	DRAWN OR WELDED	DIMENSIONS				CTN QTY
						LENGTH	WIDTH	DEPTH	CUB. IN.	
M259W	1	Y	Y	1/2" & 3/4"	WELDED	4-11/16"	4-11/16"	2-1/8"	44"	50
M257W	2			1/2" & 3/4"	WELDED	4-11/16"	4-11/16"	2-1/8"	44"	50
M250E	3			1/2" & 3/4"		4-11/16"	4-11/16"	1-1/2"	32"	50
M832CC	4					4-11/16"	4-11/16"			200
M833CC	5			1/2"		4-11/16"	4-11/16"			200



Octagon Boxes

- Steel Construction
- Fire-Rated
- Available with 1/2" and/or 3/4" Knock Outs
- S-Brackets Mount to the Side of Studs



FIG 1



FIG 2



FIG 3



FIG 4



FIG 5



FIG 6



FIG 7



FIG 8

CAT. NO.	FIG	BRACKET	RAISED GROUND	KNOCKOUTS	CLAMPS	DIMENSIONS				CTN QTY
						LENGTH	WIDTH	DEPTH	CUB. IN	
M8125R	1			1/2"		4"	4"	1-1/2"	15-1/2"	50
M127R	1			1/2" & 3/4"		4"	4"	1-1/2"	15-1/2"	50
M167R	2		Y	1/2" & 3/4"		4"	4"	2-1/8"	21-1/2"	50
M153R	3			1/2"	NM	4"	4"	1-1/2"	15-1/2"	50
M145R	4			1/2"	MC	4"	4"	1-1/2"	15-1/2"	50
M161R	6	SIDE		1/2"		4"	4"	1-1/2"	15-1/2"	50
M164R	7	SIDE		1/2"	NM	4"	4"	1-1/2"	15-1/2"	50
M155R	8	SIDE		1/2"	MC	4"	4"	1-1/2"	15-1/2"	50
M131E	5			1/2" & 3/4"		4"	4"	1-1/2"	23"	50

Round/Pancake Boxes

- Steel Construction
- Fire-Rated
- Available with 1/2" Knock Outs



CAT. NO.	RAISED GROUND	KNOCKOUTS	DIMENSIONS				CTN QTY
			LENGTH	WIDTH	DEPTH	CUB. IN	
M293R	Y	1/2"	4"	4"	1/2"	6"	50

Round & Octagon Box Covers

- Steel Construction
- Fire-Rated
- Available with 1/2" Knock Outs



FIG 1



FIG 2



CAT. NO.	FIG	DESCRIPTION	KNOCKOUTS	DIMENSIONS		CTN QTY
				LENGTH	WIDTH	
M707CC	1	BLANK		4"	4"	200
M703CC	2	WITH KO	1/2"	4"	4"	200

Masonry Boxes

- Available with Single Gang, Multi-gang, and Gangable Designs
- Available with 1/2" & 3/4" Knock Outs
- Available with Concentric Knock Outs
- Steel Construction
- Fire-Rated



FIG 1



FIG 2



FIG 3



FIG 4



CAT. NO.	FIG	CONCENTRIC	KNOCKOUTS	DIMENSIONS				CTN QTY
				LENGTH	WIDTH	DEPTH	CUB. IN	
M689M	1		1/2" & 3/4"	3-3/4"	2"	2-1/2"	18-3/4"	25
M696M	2	Y	1/2" & 3/4"	3-3/4"	3-25/32"	2-1/2"	35-2/5"	20
M697M	3	Y	1/2" & 3/4"	3-3/4"	5-1/2"	2-1/2"	51-1/2"	10
M845CC	4			4-1/2"	7-7/8"			40



Handy Boxes



- Single Gang
- Steel Construction
- Fire-Rated
- Available with 1/2" and/or 3/4" Knock Outs

CAT. NO.	FIG	KNOCKOUTS	RAISED GROUND	DIMENSIONS				CTN QTY
				LENGTH	WIDTH	DEPTH	CUB. IN	
M650H	1	1/2"		4"	2"	1-1/2"	12"	50
M660H	2	1/2"		4"	2"	1-7/8"	15"	50
M666H	3	1/2" & 3/4"	Y	4"	2"	1-7/8"	15"	50
M670H	4	1/2"		4"	2"	2-1/8"	17"	50
M674H	5	1/2" & 3/4"		4"	2"	2-1/8"	17"	50

Handy Box Extension Rings

- Single Gang
- Steel Construction
- Fire-Rated
- Available with 1/2" and/or 3/4" Knock Outs



CAT. NO.	KNOCKOUTS	DIMENSIONS				CTN QTY
		LENGTH	WIDTH	DEPTH	CUB. IN	
M201E	1/2"	4"	2"	1-1/2"	12"	50
M665E	1/2" & 3/4"	4"	2"	1-7/8"	15"	50




Handy Box Covers

- Single Gang
- Steel Construction
- Fire-Rated

CAT. NO.	FIG.	DESCRIPTION	KNOCKOUTS	DIMENSIONS		CTN QTY
				LENGTH	WIDTH	
M860CC	1	BLANK		4"	2"	200
M861CC	2	BLANK WITH KO	1/2"	4"	2"	200
M865CC	3	TOGGLE		4"	2"	200
M862CC	4	DECORATOR		4"	2"	50
M864CC	5	DUPLEX		4"	2"	50



Switch Boxes



- Single Gang
- Steel Construction
- Fire-Rated
- S-Brackets Mount to the Side of Studs

CAT. NO.	FIG	BRACKET	KNOCKOUTS	MC CLAMP	TYPE	DIMENSIONS				CTN QTY
						LENGTH	WIDTH	DEPTH	CUB. IN	
M850DSB	1		1/2"		SWITCH BOX	3"	2"	2-1/2"	13"	50
M518SB	2		1/2"	MC	SWITCH BOX	3"	2"	2-1/2"	13"	50
M604SB	3	SIDE	1/2"	MC	SWITCH BOX	3"	2"	2-1/2"	13"	50
M596S	4		1/2"		GANGABLE BOX	3"	2"	2-1/2"	15"	50
M600S	5		1/2"	NM	GANGABLE BOX	3"	2"	2-1/2"	18"	50



Weatherproof Boxes



Weatherproof Boxes

- Includes Closure Plugs
- Detachable Lugs Provided (Except Where Noted)
- Ground Screw Installed
- Reinforced Connector Outlets
- Brackets Secured with Screws
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Packaged



FIG 1



FIG 2



FIG 3



FIG 4

One Gang - 18.3 Cubic Inch Capacity

Length 4-1/2" X Width 2-3/4" X Depth 2"

CAT. NO.	FIG	LUGS	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
36000	1	NO LUGS	3	1/2"	2	GRAY	50
36002	1	NO LUGS	3	1/2"	2	WHITE	50
36004	1	NO LUGS	3	1/2"	2	BRONZE	50
36010	1	LUGS	3	1/2"	2	GRAY	50
36012	1	LUGS	3	1/2"	2	WHITE	50
36014	1	LUGS	3	1/2"	2	BRONZE	50
36018	1	NO LUGS	3	3/4"	2	GRAY	50
36020	1	LUGS	3	3/4"	2	GRAY	50
36022	1	LUGS	3	3/4"	2	WHITE	50
36024	1	LUGS	3	3/4"	2	BRONZE	50
36028	2	NO LUGS	4	1/2"	2	GRAY	50
36030	2	LUGS	4	1/2"	2	GRAY	50
36032	2	LUGS	4	1/2"	2	WHITE	50
36034	2	LUGS	4	1/2"	2	BRONZE	50
36040	2	LUGS	4	3/4"	2	GRAY	50
36050	3	LUGS	5	1/2"	2	GRAY	50
36060	3	LUGS	5	3/4"	2	GRAY	50
36070	4	LUGS	5	1/2"	2	GRAY	50
36080	4	LUGS	5	3/4"	2	GRAY	50



FIG 5



FIG 6

One Gang Deep - 23.8 Cubic Inch Capacity

Length 4-1/2" X Width 2-3/4" X Depth 2-5/8"

CAT. NO.	FIG	LUGS	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
36090	5	LUGS	3	1/2"	2	GRAY	40
36100	5	LUGS	3	3/4"	2	GRAY	40
36110	5	LUGS	3	1"	2	GRAY	40
36120	6	LUGS	5	1/2"	2	GRAY	40
36130	6	LUGS	5	3/4"	2	GRAY	40
36140	6	LUGS	5	1"	2	GRAY	40




Weatherproof Boxes

Two Gang Deep – 30.5 Cubic Inch Capacity

Length 4-1/2" X Width 4-1/2" X Depth 2-3/16"

CAT. NO.	FIG	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
36210	1	3	1/2"	2	GRAY	40
36212	1	3	1/2"	2	WHITE	40
36214	1	3	1/2"	2	BRONZE	40
36220	1	3	3/4"	2	GRAY	40
36222	1	3	3/4"	2	WHITE	40
36224	1	3	3/4"	2	BRONZE	40
36230	2	4	1/2"	2	GRAY	40
36240	2	4	3/4"	2	GRAY	40
36250	3	5	1/2"	2	GRAY	40
36260	3	5	3/4"	2	GRAY	40
36270	4	5	1/2"	2	GRAY	40
36280	4	5	3/4"	2	GRAY	40
36290	5	6	1/2"	2	GRAY	40
36300	5	6	3/4"	2	GRAY	40
36310	6	7	1/2"	2	GRAY	40
36320	6	7	3/4"	2	GRAY	40
36330	7	7	1/2"	2	GRAY	40
36340	7	7	3/4"	2	GRAY	40
36350	8	9	1/2"	2	GRAY	40
36360	8	9	3/4"	2	GRAY	40



Two Gang Deep – 37 Cubic Inch Capacity

Length 4-1/2" X Width 4-1/2" X Depth 2-5/8"

CAT. NO.	FIG	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
36370	9	5	1/2"	2	GRAY	20
36380	9	5	3/4"	2	GRAY	20
36390	9	5	1"	2	GRAY	20
36400	10	7	1/2"	2	GRAY	20
36410	10	7	3/4"	2	GRAY	20
36420	10	7	1"	2	GRAY	20

Weatherproof Boxes



Weatherproof Box Extensions & Adapter Rings

- (36520~36550) Includes Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Fits All Universal Type Weatherproof Boxes
- Powder Coat Finish



CAT. NO.	FIG	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	DIMENSIONS				BOX QTY
						LENGTH	WIDTH	DEPTH	CUB. IN	
ONE GANG EXTENSION RING										
36510	1	-	-	-	GRAY	4-9/16"	2-13/16"	1"	9.3"	50
TWO GANG EXTENSION RING										
36512	2	-	-	-	GRAY	4-9/16"	4-9/16"	1"	16.4"	50
ONE GANG FLANGED BOX EXTENSION ADAPTOR										
36520	3	4	1/2"	2	GRAY	5-1/4"	3-1/2"	1-1/2"	12.8"	40
36530	3	4	3/4"	2	GRAY	5-1/4"	3-1/2"	1-1/2"	12.8"	40
36540	4	6	1/2"	2	GRAY	5-1/4"	3-1/2"	1-1/2"	12.8"	40
36550	4	6	3/4"	2	GRAY	5-1/4"	3-1/2"	1-1/2"	12.8"	40



While-In-Use Weatherproof Covers



In-Use Weatherproof Covers




14 IN I



TWO GANG

31 IN I



SEE CAT# 3891I FOR 31-I CONFIGURATIONS

- Weatherproof While-in-Use - Complies with NEC
- 1 Gang - 14 Device Configurations 2 Gang - 31 Device Configurations
- One Gang Mounts Vertically or Horizontally
- Heavy Duty Hidden Hinge
- Sturdy Polycarbonate Construction - Clear Cover
- Built-In Water Dam Design channels moisture away from interior
- Extra Large Gasketed Cord Flap for Cable Exit
- Lockable Latching Tab
- Pre-Installed Gasket

- Snap-In Device Adapter requires no tools to install
- Easy-To-Assemble building block style adapter provides flexibility and eliminates damage
- NEMA 3R rating
- *3891D 2 Gang Cover will not support center mounted devices 3891D does not contain all 31 configurations outlined above. 3891D contains the following device plates: 2 decorative; 2 duplex, 2 1-3/8" dia. single KO's only. For more configurations, ie. toggle or larger KO's use Cat# 3891I




CAT. NO.	DESCRIPTION	DIMENSIONS			CASE QTY
		DEPTH	LENGTH	WIDTH	
38900	1 GANG	3.20"	5.60"	3.85"	24
38901	1 GANG DEEP	3.75"	5.60"	3.85"	24
38910	2 GANG	2.75"	4.70"	4.70"	30
3891I	2 GANG DEEP	3.65"	5.60"	5.45"	10



Metal While-In-Use Weatherproof Covers Die Cast Aluminum



In-Use Weatherproof Covers



- Weatherproof While-in-Use - Complies with NEC
- 1 Gang - 7 Device Configurations 2 Gang - 31 Device Configurations
- Patented Cover Adjustable from 2-3/4" to 3-1/2" (2 Gang Adjustable from 3-1/2" to 4-1/2" Depth)
- One Gang Covers Can Be Mounted Vertically or Horizontally - See Table Below
- Heavy Duty Reinforced Hidden Hinge - 40lb Force Rating
- Sturdy Die-Cast Aluminum Construction
- Built-In Water Dam Design channels moisture away from interior

- Extra Large Cable Exit
- Lockable Latching Tab
- Pre-Installed Gasket
- Easy-To-Assemble Building Block Style Snap-In Device Adapter requires no tools and provides flexibility and eliminates damage
- NEMA 3R rating
- Ground Lug Included

CAT. NO.	DESCRIPTION	COLOR	DIMENSIONS					CASE QTY
			A	B	C	D	E	
38915	1 GANG - VERTICAL	GRAY	4.60"	3.10"	3.00"	6.80"	3.50"	10
38912	1 GANG - VERTICAL	WHITE	4.60"	3.10"	3.00"	6.80"	3.50"	10
38916	1 GANG - HORIZONTAL	GRAY	4.60"	3.10"	3.00"	6.80"	3.50"	10
38913	1 GANG - HORIZONTAL	WHITE	4.60"	3.10"	3.00"	6.80"	3.50"	10
38917	2 GANG DEEP - VERTICAL	GRAY	4.60"	4.60"	3.20"	6.80"	5.25"	10
38914	2 GANG DEEP - VERTICAL	WHITE	4.60"	4.60"	3.20"	6.80"	5.25"	10



4" Round Weatherproof Boxes & Extensions



Weatherproof Boxes / Covers



FIG 1



FIG 2

15.8 Cubic Inch Capacity - 1-1/2" Deep

- Includes Closure Plugs
- Ground Screw Installed in Boxes
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Packaged
- Box Extensions Include Gasket

CAT. NO.	FIG	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
4" ROUND WEATHERPROOF BOXES						
36610	1	5	1/2"	4	GRAY	40
36612	1	5	1/2"	4	WHITE	40
36614	1	5	1/2"	4	BRONZE	40
36620	1	5	3/4"	4	GRAY	40
4" ROUND WEATHERPROOF BOX EXTENSIONS						
36710	2	4	1/2"	3	GRAY	40
36720	2	4	3/4"	3	GRAY	40

4" Round Weatherproof Covers



FIG 1



FIG 2



FIG 3



FIG 4


- Includes Closure Plugs
- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Packaged

CAT. NO.	FIG	NO. OF OUTLET HOLES	OUTLET HOLE DIA.	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
36810	1	1	1/2"	-	GRAY	50
36812	1	1	1/2"	-	WHITE	50
36814	1	1	1/2"	-	BRONZE	50
36830	2	3	1/2"	1	GRAY	50
36832	2	3	1/2"	1	WHITE	50
36834	2	3	1/2"	1	BRONZE	50
36840	3	3	1/2"	1	GRAY	50
36842	3	3	1/2"	1	WHITE	50
36844	3	3	1/2"	1	BRONZE	50
36850	4	BLANK			GRAY	100

Weatherproof Switch Covers



37290



37291

- Weatherproof Protection for On-Off Switch Applications
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Pre-Installed Gasket & Mounting Screws Supplied

CAT. NO.	DESCRIPTION	COLOR	CASE QTY
37290	SINGLE TOGGLE SWITCH	GRAY	50
37291	2 TOGGLE SWITCH	GRAY	24



One Gang Weatherproof Covers



- Self Closing Lids
- Lampholder Covers Include Closure Plugs
- Gasket & Mounting Screws Included
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Individually Packaged

Horizontal One Gang Covers

CAT. NO.	FIG	DESCRIPTION	FINISH	BOX QTY
37010	1	DUPLEX RECEPTACLE	GRAY	50
37012	1	DUPLEX RECEPTACLE	WHITE	50
37014	1	DUPLEX RECEPTACLE	BRONZE	50
37020	2	GFCI/DECORATOR	GRAY	50
37022	2	GFCI/DECORATOR	WHITE	50
37024	2	GFCI/DECORATOR	BRONZE	50



FIG 1



FIG 2

Vertical One Gang Covers

CAT. NO.	FIG	DESCRIPTION	FINISH	BOX QTY
37110	3	SINGLE RECEPTACLE	GRAY	50
37112	3	SINGLE RECEPTACLE	WHITE	50
37114	3	SINGLE RECEPTACLE	BRONZE	50
37120	4	DUPLEX RECEPTACLE	GRAY	50
37122	4	DUPLEX RECEPTACLE	WHITE	50
37124	4	DUPLEX RECEPTACLE	BRONZE	50
37130	5	GFCI/DECORATOR	GRAY	50
37132	5	GFCI/DECORATOR	WHITE	50
37134	5	GFCI/DECORATOR	BRONZE	50
37150	6	20A & 30A TWIST LOCK RECEPTACLE 1.625" OPENING	GRAY	50
37160	6	30A 3 & 4 WIRE TWIST LOCK RECEPTACLE 1.75" OPENING	GRAY	50
37170	7	30A DRYER & 50A RANGE RECEPTACLE 2.125" OPENING	GRAY	50
37180	8	BLANK	GRAY	100
37182	8	BLANK	WHITE	100
37184	8	BLANK	BRONZE	100



FIG 3



FIG 4



FIG 5



FIG 6



FIG 7



FIG 8

Rectangular Lampholder Covers

CAT. NO.	FIG	DESCRIPTION	NO. OF CLOSURE PLUGS	FINISH	BOX QTY
37310	9	1 - 1/2" HOLE	-	GRAY	50
37312	9	1 - 1/2" HOLE	-	WHITE	50
37314	9	1 - 1/2" HOLE	-	BRONZE	50
37330	10	3 - 1/2" HOLE	1	GRAY	50
37332	10	3 - 1/2" HOLE	1	WHITE	50
37334	10	3 - 1/2" HOLE	1	BRONZE	50



FIG 9



FIG 10


Weatherproof Covers



Two Gang Weatherproof Covers



- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Powder Coat Finish
- Self Closing Spring Loaded Lids
- Individually Packaged



CAT. NO.	FIG	DESCRIPTION	FINISH	BOX QTY
37210	1	2 DUPLEX RECEPTACLES	GRAY	50
37212	1	2 DUPLEX RECEPTACLES	WHITE	50
37214	1	2 DUPLEX RECEPTACLES	BRONZE	50
37220	2	1 GFCI & 1 DUPLEX RECEPTACLE	GRAY	50
37222	2	1 GFCI & 1 DUPLEX RECEPTACLE	WHITE	50
37224	2	1 GFCI & 1 DUPLEX RECEPTACLE	BRONZE	50
37226	3	2 SINGLE RECEPTACLES 1.375" OPENING	GRAY	50
37230	4	1 SINGLE RECEPTACLE 1.375" & 1 DUPLEX RECEPTACLE	GRAY	50
37240	5	1 GFCI & 1 SINGLE RECEPTACLE 1.375"	GRAY	50
37250	6	2 GFCI RECEPTACLES	GRAY	50
37260	7	BLANK COVER	GRAY	50
37262	7	BLANK COVER	WHITE	50
37264	7	BLANK COVER	BRONZE	50

Weatherproof Covers

Multi-Use Weatherproof Covers



- Heavy-Duty Aluminum Die Cast Metal Construction
- 1 Gang - 10 Device Configurations
- 2 Gang - 25 Device Configurations
- 3 Gang - 125 Device Configurations
- 2 Gang w/Switch - 5 Configurations
- Heavy Duty Hidden Hinge
- Lockable Tab Feature Secures Cover
- Pre-Installed Gasket
- Snap-In device adapter requires no tools to install
- Easy-To-Assemble building block style adapters

CAT. NO.	FIG	DESCRIPTION	CONFIGURATIONS	LENGTH	WIDTH	CASE QTY
38920	1	1 GANG	10	4.6"	3.0"	50
38921	2	2 GANG	25	4.6"	4.5"	24
38922	3	3 GANG	125	4.6"	6.3"	20
38923	4	2 GANG W/SWITCH	5	4.6"	4.5"	50



- Gasket & Mounting Screws Supplied
- Seamless Die Cast Aluminum
- Powder Coat Finish
- For 75 Thru 150 Watt PAR 38 Lamps
- Extra Long Wire Leads for Easy Hook-Up
- Locking Swivel Knuckle Assures Positive Lamp Positioning and Provides Pinpoint Directional Aiming
- Each Lampholder Supplied With a Copper Screw Shell Porcelain Socket (37408 Aluminum Shell), Inside Gasket & 1/2" Locknut
- Press Fit Internal Heat Resistant Gasket Designed Not to Come Out When Bulb is Changed
- External Gasket Included
- Individually Packaged



CAT. NO.	FINISH	BOX QTY
37408	UNPAINTED	50
37410	GRAY	50
37412	WHITE	50
37414	BRONZE	50

Hole Plugs and Accessories



FIG 1



FIG 2



FIG 3



FIG 4



FIG 5

GASKETS

- 1 Gang Blank
- 1 Gang Decorative
- 1 Gang Switch
- 1 Gang Single Receptacle

Use 37930

FIG 6

GASKETS

- 2 Gang Blank
- 2 Gang Decorative
- 2 Gang Switch
- 2 Gang Single Receptacle

Use 37934

FIG 7

CAT. NO.	FIG.	DESCRIPTION	FINISH	BAG QTY	BOX QTY
37510	1	1/2" HOLE PLUG	GRAY	10	800
37512	1	1/2" HOLE PLUG	WHITE	10	800
37514	1	1/2" HOLE PLUG	BRONZE	10	800
37520	1	3/4" HOLE PLUG	GRAY	10	500
37522	1	3/4" HOLE PLUG	WHITE	10	500
37524	1	3/4" HOLE PLUG	BRONZE	10	500
37530	1	1" HOLE PLUG	GRAY	10	300
37910	2	MOUNTING LUG	GRAY	10	500
37920	3	LAMPHOLDER INSIDE GASKET	--	-	300
37936	4	4" ROUND GASKET	--	-	100
38407	5	EXTERNAL PAR LAMPHOLDER GASKET (37408-37414)	--	-	250
37930	6	1 GANG SWITCH/RECEPTACLE/GFCI GASKET	--	-	200
37934	7	2 GANG SWITCH/RECEPTACLE/GFCI GASKET	--	-	100




Box to Stud Fastener



- Screw attached support for box and conduit
- For use with either metal or wood studs
- Electrical box support clip secured with Self tapping screws for wood or metal studs

CAT. NO.	DESCRIPTION	BOX QTY
18345	BOX TO STUD FASTENER	100


Far Side Box Support



- Clips on electrical boxes for additional support
- 2-1/2" thru 4" Standoff
- Sized by Bending at Pre-marked Lines

CAT. NO.	DESCRIPTION	BOX QTY
18350	FAR SIDE BOX SUPPORT	100

Screwless Box Support



- Made from pre-galvanized steel
- Secures electrical box to finished drywall
- No stud necessary
- Fits 1/4"-20 Bolt

CAT. NO.	DESCRIPTION	BOX QTY
18375	BOX SUPPORT	100


Low Voltage Mounting Bracket



- Provides base for securing communications plates without use of electrical box
- Mounts standard plate
- Hardware included

CAT. NO.	DESCRIPTION	ORDER IN BAG QTY
18376	LOW VOLTAGE MOUNTING BRACKET	10


Box Stabilizer Support



- Box Support for 2-1/2", 3-1/2" & 4" wood or metal studs
- Screw attached support for electrical boxes
- Made from pre-galvanized steel

CAT. NO.	STUD SIZE	BOX QTY
18370	2-1/2", 3-1/2"	100
18052	2-1/2", 3-1/2", 4"	100

Plastic Far Side Box Support




- No tools required
- Mounts quickly in the back of the box
- Designed for 3-5/8" steel studs
- May be used on standard 1-1/2" or 2-1/8" deep boxes

CAT. NO.	DESCRIPTION	BOX QTY
18378	PLASTIC FAR SIDE BOX SUPPORT	100

Box Mounting Brackets

- Supports electrical boxes located between studs on 16" or 24" centers
- Boxes attach using self-tapping screws
- Made from pre-galvanized steel


CAT. NO.	DESCRIPTION	BOX QTY
18355	1-1/2" BOX TO STUDS ON 16" CENTERS	50
18356	2-1/8" BOX TO STUDS ON 16" CENTERS	50
18357	1-1/2" BOX TO STUDS ON 24" CENTERS	50
18358	2-1/8" BOX TO STUDS ON 24" CENTERS	50



Conduit/Box to Stud Fastener

- Secures conduit and electrical boxes to most structures
- Provides conduit support on both sides of electrical box
- Hole for screw or threaded rod mount with 1/4"-20 x 5/8" stud
- Made from pre-galvanized steel
- Spring steel fasteners riveted to bar
- Secures 1/2" & 3/4" Conduit


CAT. NO.	DESCRIPTION	BOX QTY
18360	MOUNT 4" SQUARE BOX WITH 1/2" OR 3/4" CONDUIT	25



Ceiling Box Bar Support

- Used where boxes need to be supported between structural members
- Adjustable Ceiling Box/Fixture Support

CAT. NO.	DIMENSIONS			BOX QTY
	A	B	C	
19000	10.65"	2.17"	1.22"	50



Box To T-Bar Fastener

- Snap-on 24" span box hanger with dual height adjustment allows flush or 3/4" offset mount
- Mounting clip with screw included
- Pre-galvanized steel with spring steel hardware included

CAT. NO.	DESCRIPTION	BOX QTY
18054	24" SPAN BOX TO T-BAR FASTENER	100



SMART TOGGLE

THE ONLY STUD / NO-STUD OLD-WORK BOX
SAVES CONTRACTORS TIME, MONEY, AND LABOR

WALL BOXES



STUD / NO-STUD OLD-WORK BOX
1-4 GANG WALL BOXES

ST1 FIXTURE RATED FOR 50LBS.
WHEN FASTENED TO STUD; NOT FAN RATED

BUILT IN KNOCK OUTS

1-1/2" LONG TOGGLES THAT SNAP IN PLACE

SINGLE SCREW REMOVABLE MOUNTING BLOCK

QUICKLY LOCATE THE EXACT CENTER

NO-DROP TABS

CEILING BOXES

STR



BUILT IN PILOT GUIDE LOCATOR

BUILT IN KNOCK OUTS

BURRS TO SCORE THE PERFECT HOLE SIZE
AND SKIP TRACING ON THE CEILING

50 LB. CEILING RATED
WHEN FASTENED TO STUD; NOT FAN RATED



SAVE ON TIME AND LABOR

MSBST150



CEILING RATED OLD-WORK BOX

RATED FOR 8 LBS.

LOW PROFILE

ACCESSORIES

STL

CENTER LOCATOR CLIP



FIND THE PERFECT CENTER

USE THE STL CENTER LOCATOR CLIP WITH
ST1, ST2, ST3, AND ST4

INCLUDED WITH THE ST1 OR SOLD SEPARATELY:

THE STL MAY BE USED WITH
OTHER OLD-WORK BOXES

ST2W ST3/4W

POWER/LOW VOLTAGE DIVIDERS



USE FOR POWER AND
LOW VOLTAGE
APPLICATIONS

**ST2W - FOR ST2
BOXES**

**ST3/4W - FOR ST3 &
ST4 BOXES**



SMARTOGGLE WALL BOX

FIG 1



FIG 2



FIG 3



FIG 4




FIG 5



FIG 6



FIG 7



CAT. NO.	FIG	GANG	TOGGLE DEPTH	FIXTURE SUPPORT RATING	KNOCK-OUTS	DIMENSIONS				CTN QTY
						LENGTH	WIDTH	DEPTH	CUBIC IN	
ST1	1	1	1-1/2"	50 LB*	0	4-1/4"	2"	3-3/4"	19-1/2"	50
ST2	2	2	1-1/2"	N/A	2	4-1/4"	4"	3-3/4"	39-1/2"	30
ST3	3	3	1-1/2"	N/A	2	4-1/4"	6"	3-1/2"	56-1/2"	20
ST4	4	4	1-1/2"	N/A	2	4-1/4"	7-3/4"	3-1/2"	74"	20
ACCESSORIES										
STL	5	LOCATOR ACCESSORY								100
ST2W	6	2 GANG DIVIDER ACCESSORY								100
ST3/4W	7	3 & 4 GANG DIVIDER ACCESSORY								100

* WHEN FASTENED TO STUD; NOT FAN RATED



SMARTOGGLE CEILING BOX

CAT. NO.	DESCRIPTION	TOGGLE DEPTH	FIXTURE SUPPORT RATING	KNOCK-OUTS	WIRING INFO	DIMENSIONS			CTN QTY
						LENGTH	DEPTH	CUB. IN.	
STR	3-1/2" ROUND BOX	3/4"	*50 LB / 8 LB	2	9 - #14 8 - #12 7 - #10	3-1/2"	2-3/4"	19.3	30

* WHEN FASTENED TO STUD; NOT FAN RATED




CAT. NO.	DESCRIPTION	TOGGLE DEPTH	FIXTURE SUPPORT RATING	KNOCK-OUTS	WIRING INFO	DIMENSIONS			CTN QTY
						LENGTH	DEPTH	CUB. IN.	
MSBST150	3-1/2" ROUND BOX	3/4"	8 LB	0	4 - #14 4 - #12	4"	1-1/2"	9"	30




Residential Floor Boxes



84000 - 84001



84002 - 84003



- Heavy duty Brass or Nickel Plated Brass covers
- Junction Box, duplex receptacle & rubber gasketed cover included
- Good for tile and carpet applications
- Adjustable to make installs easy
- 1/2" Conduit Knockouts
- Fits manufacturer's 3-1/2" deep switch box
- Can accommodate data-communications inserts
- Includes 15A 125V White TamperProof Receptacle
- UL 351B & UL 498 listed receptacles

CAT. NO.	COVER MATERIAL	INNER BOX	OUTER BOX
HINGED LID DUPLEX FLOOR BOX ASSEMBLY			
84000	BRASS	I	20
84001	NICKEL PLATED BRASS	I	20
SCREW LID DUPLEX FLOOR BOX ASSEMBLY			
84002	BRASS	I	20
84003	NICKEL PLATED BRASS	I	20



Non-Metallic Recessed Boxes

- Perfect in homes, apartments, co-ops, condominiums and offices
- Flush Mounting, Installs behind wall units and entertainment centers
- Polycarbonate Construction
- Includes Face Plate
- Receptacles are 15A, 125V Self Grounding

Non-Metallic Recessed Boxes



FIG 1



FIG 2



FIG 3



FIG 4



FIG 5



FIG 6



FIG 7



FIG 8



FIG 9




FIG 10


CAT. NO.	FIG	DESCRIPTION	DIMENSIONS			CTN QTY
			LENGTH	WIDTH	DEPTH	
84004	1	DECORATOR RECESSED DUPLEX RECEPTACLE WITH WALL PLATE	4.5"	2.75"	1.94"	60
84005	2	SINGLE-GANG RECESSED RECEPTACLE WITH WALL PLATE	4.5"	2.75"	1.98"	60
84006	3	SINGLE-GANG RECESSED PLUG WITH WALL PLATE	4.5"	2.75"	1.74"	60
84007	4	TWO GANG LOW VOLTAGE CABLE PLATE & RECESSED PLUG	4.5"	5.18"	1.74"	60
84008	5	TWO GANG LOW VOLTAGE CABLE PLATE WITH RECESSED RECEPTACLE	4.5"	4.6"	1.97"	60
84009	6	SINGLE-GANG RECESSED LOW VOLTAGE CABLE PLATE	4.5"	2.75"	1.65"	60
84010	7	2-GANG RECESSED LOW VOLTAGE CABLE PLATE	4.5"	4.55"	1.65"	60
84011	8	SINGLE BRUSH DECORATOR PLATE WITH WALLPLATE	4.09"	2.75"	.42"	200
84012	9	SPLIT STYLE TV PLATE WITH FLEXIBLE AV/HDMI CABLE PASS-THROUGH WITH WALLPLATE	4.5"	2.75"	0.22"	200
84013	10	RECESSED PRO POWER INSTALLTION KIT THIS SET OF PRODUCT INCLUDES THE FOLLOWING PRODUCTS: 1 PC 84007 1 PC 84008 2 PCS JUNCTION BOX 2 PCS LOW VOLTAGE MOUNTING BRACKET 1 PC JUMPER CABLE 1 PC POWER CORD	-	-	-	12

SEE OUR FULL LINE OF PRODUCTS

VISIT MORRISPRODUCTS.COM




ELECTRICAL CATALOG
CAT#00000



2023/2024 LIGHTING CATALOG
CAT#00022



2024 LIGHTING CLEARANCE
ONLINE ONLY



HVAC CATALOG
CAT#00014



FITTINGS CATALOG
CAT#00024



EXIT & EMERGENCY CATALOG
CAT#00012

**CATALOGS ARE AVAILABLE TO DOWNLOAD OR
CONTACT YOUR LOCAL MORRIS REP**

INDEX

M190D	2	M203E	3	M864CC	5	36222	7	38913	9	37134	11	18350	14
M226D	2	M204E	3	M8500SB	5	36224	7	38917	9	37150	11	18375	14
M189W	2	M207E	3	M518SB	5	36230	7	38914	9	37160	11	18376	14
M196W	2	M259W	3	M604SB	5	36240	7	36610	10	37170	11	18370	14
M193W	2	M257W	3	M596S	5	36250	7	36612	10	37180	11	18052	14
M192D	2	M250E	3	M600S	5	36260	7	36614	10	37182	11	18378	14
M232D	2	M832CC	3	36000	6	36270	7	36620	10	37184	11	18355	15
M239D	2	M833CC	3	36002	6	36280	7	36710	10	37310	11	18356	15
M231W	2	M8125R	4	36004	6	36290	7	36720	10	37312	11	18357	15
M248W	2	M127R	4	36010	6	36300	7	36810	10	37314	11	18358	15
M235W	2	M167R	4	36012	6	36310	7	36812	10	37330	11	18360	15
M251W	2	M153R	4	36014	6	36320	7	36814	10	37332	11	19000	15
M218W	2	M145R	4	36018	6	36330	7	36830	10	37334	11	18054	15
M249W	2	M161R	4	36020	6	36340	7	36832	10	38920	12	ST1	16
M752CC	2	M164R	4	36022	6	36350	7	36834	10	38921	12	ST2	16
M753CC	2	M155R	4	36024	6	36360	7	36840	10	38922	12	ST3	16
M814CC	2	M131E	4	36028	6	36370	7	36842	10	38923	12	ST4	16
M906CC	2	M293R	4	36030	6	36380	7	36844	10	37408	13	STL	16
M907CC	2	M707CC	4	36032	6	36390	7	36850	10	37410	13	ST2W	16
M803CC	2	M703CC	4	36034	6	36400	7	37290	10	37412	13	ST3/4W	16
M902CC	2	M689M	4	36040	6	36410	7	37291	10	37414	13	STR	17
M800CC	2	M696M	4	36050	6	36420	7	37010	11	37510	13	MSBST150	17
M767MR	3	M697M	4	36060	6	36510	7	37012	11	37512	13	84000	18
M756MR	3	M845CC	4	36070	6	36512	7	37014	11	37514	13	84001	18
M759MR	3	M650H	5	36080	6	36520	7	37020	11	37520	13	84002	18
M771MR	3	M660H	5	36090	6	36530	7	37022	11	37522	13	84003	18
M772MR	3	M666H	5	36100	6	36540	7	37024	11	37524	13	84004	19
M768MR	3	M670H	5	36110	6	36550	7	37110	11	37530	13	84005	19
M773MR	3	M674H	5	36120	6	38900	8	37112	11	37910	13	84006	19
M774MR	3	M201E	5	36130	6	38901	8	37114	11	37920	13	84007	19
M777MR	3	M665E	5	36140	6	38910	8	37120	11	37936	13	84008	19
M778MR	3	M860CC	5	36210	7	38911	8	37122	11	38407	13	84009	19
M769MR	3	M861CC	5	36212	7	38915	9	37124	11	37930	13	84010	19
M779MR	3	M865CC	5	36214	7	38912	9	37130	11	37934	13	84011	19
M780MR	3	M862CC	5	36220	7	38916	9	37132	11	18345	14	84012	19
												84013	19

SMARTOGGLE

THE ONLY STUD / NO-STUD OLD-WORK BOX

SEE PAGE 16-17

WALL BOXES



CEILING BOXES



CEILING BOX WITH
INTEGRATED HOLE SAW

SAVE ON TIME AND LABOR



MSBST150

ACCESSORIES



STL

CENTER LOCATOR CLIP

ST2W

ST3/4W



POWER/LOW
VOLTAGE DIVIDERS

MORRIS PRODUCTS INC.

53 CAREY ROAD

QUEENSBURY, NY 12804

INFO@MORRISPRODUCTS.COM

1.888.777.6678



SINGLE SOURCE...
ELECTRICAL & LIGHTING